


Code: AWS-1033

## AMPLIFIER **AWS-1033** 30/30/34/34dB

Net: **34.30 EUR** Gross: **42.19 EUR**

The AWS-1033 is used to TV signal distribution in home antennas installations. Gain adjustment allows to set the right level of signal in whole installation. Amplifier can be powered directly from included power adapter or via output with using a separator.




### SPECIFICATION


|                           |                                      |
|---------------------------|--------------------------------------|
| Frequency range:          | 47 MHz ... 862 MHz                   |
| Number of inputs/outputs: | 4 / 2                                |
| Input/output impedance:   | 75 $\Omega$                          |
| Connectors type:          | "F"                                  |
| Gain :                    | 30 dB / 34 dB $\pm$ 2 dB             |
| Gain adjustment:          | 0 dB ... 20 dB                       |
| S/N ratio:                | 5 dB $\pm$ 1 dB                      |
| IMA3 60dB:                | 103 dB $\mu$ V                       |
| Return loss:              | $\geq$ 10 dB                         |
| Operation temp:           | -25 $^{\circ}$ C ... 55 $^{\circ}$ C |
| Power supply:             | 12 V DC / 160 mA                     |
| Guarantee:                | 2 years                              |

### PRESENTATION


Connectors:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Top view:



Internal view of the housing:



In the kit:

