

Code: OR-PRE-454/UNI

TIME RELAY MODULE **OR-PRE-454/UNI** ORNO

Net: 43.94 EUR Gross: 43.94 EUR

The OR-PRE-454/UNI enables the implementation of 1 of 10 time-logic programs.

The device can be used to extend short control pulses, controlling the operation of bolts, electromagnetic jumpers, bistable control, and also to make the shift in access control projects, depending on the status of the controller, door opening sensor (reed), exit button, etc.



SPECIFICATION

Number of relay outputs:	1
Power supply:	12 ... 230 V AC / DC
Rated power consumption:	≤ 1.5 W
Relay maximal load:	16 A 250 V AC 16 A 24 V DC
Output:	1 x NO/NC
Main features:	• Smooth adjustment of the working time • Time settings range : 1 s / 10 s / 1 m / 10 m / 1 h / 10 h / 1 day / 10 days • LED indication • DIN, TS-35 rail mounting • Bistable operation controlled by the S control input
Operation temp:	-20 °C ... 50 °C
Weight:	0.064 kg
Dimensions:	90 x 17 x 65 mm
Manufacturer / Brand:	ORNO
Guarantee:	2 years

PRESENTATION


Front view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Side view:



Mounting side view:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------