

Code: TL-POE10R

POE SPLITTER **TL-POE10R** TP-Link

Net: **14.81 EUR** Gross: **18.22 EUR**

The TL-POE10R is powered from the PoE 802.3af line and reduces the voltage to 12/9/5 V at the 2.1/5.5 mm output.

PoE Splitter TL-POE10R fully complies with IEEE 802.3af standard. The device can operate with all IEEE 802.3af compliant PSE (Power Source Equipment) or PoE Injectors, then split electric power supply (12/9/5 V DC) and data into two cables, so you can install the non-PoE devices like Wireless Access Points, IP Cameras or IP Phones, in remote location where there are no power lines or outlets.



SPECIFICATION

Output power:	<ul style="list-style-type: none">• 10 W @ 5 V• 9 W @ 9 V• 12 W @ 12 V
Number of inputs:	1 pcs RJ-45 - 10/100/1000 Mbps
Number of outputs:	1 pcs RJ-45 - 10/100/1000 Mbps 1 pcs 5.5/2.1 socket
Input voltage:	36 ... 57 V DC
Output voltage:	5 / 9 / 12 V DC (switch)
LED indicators:	PWR - Power output
Main features:	<ul style="list-style-type: none">• Compliance with PoE (802.3af)• Power supply up to 100 m• MDI/MDI-X auto detection feature - auto detecting the data transmission mode• Adjustable output power (Auto-Sensing Algorithm)• Gigabit Ethernet• Plug & Play• IEEE802.3, IEEE802.3u, IEEE802.3ab, IEEE802.3af standards support
Protections:	<ul style="list-style-type: none">• Short-circuit• Overload• Overvoltage
Housing:	Plastic
Operation temp. / Relative humidity:	0 °C ... 40 °C / 10 % ... 90 %
Weight:	0.06 kg
Dimensions:	81 x 54 x 24 mm
Manufacturer / Brand:	TP-Link
Guarantee:	2 years

PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Top view:




Device connectors:



Example of application:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



- 1 - Router
- 2 - Switch PoE
- 3 - PoE power adapter
- 4 - Device
- 5 - Access Point (AP)

- A - Data
 - B - Power supply DC
 - C - Data + Power
- In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

