

Code: TL-POE4824G

## POE POWER ADAPTER **TL-POE4824G** 24 W TP-LINK

Net: **19.22 EUR** Gross: **19.22 EUR**

The TL-POE4824G is designed to powering devices using PoE technology. Power adapter is not compatible with IEEE 802.3af standard. This technology allows to run the system with only one UTP/FTP cable which transmits data and provides supplying voltage.

The device is dedicated to work in Gigabit Ethernet networks.

Attention! If the power adaptor is using for continuous work (24H) the rated current of the adaptor should be less than 80% of the maximal current. Please pay attention for proper cooling conditions of the power adaptor during work!



### SPECIFICATION

|                                      |                                                 |
|--------------------------------------|-------------------------------------------------|
| Supported data rates:                | 1000 Mbps                                       |
| Input voltage:                       | 100 V ... 240 V AC @ 50 Hz / 60 Hz              |
| Output voltage:                      | 48 V DC ( Passive PoE )                         |
| Number of inputs:                    | 1                                               |
| Connector:                           | 2 x RJ-45 socket<br>1 x IEC C6 power socket     |
| LED indicators:                      | Power connection                                |
| Output power:                        | 24 W                                            |
| Housing:                             | Plastic                                         |
| Operation temp. / Relative humidity: | 0 °C ... 40 °C / 10 % ... 90 % (non-condensing) |
| Weight:                              | 0.15 kg                                         |
| Dimensions:                          | 110 x 57 x 36 mm                                |
| Manufacturer / Brand:                | TP-LINK                                         |
| Guarantee:                           | 2 years                                         |

### PRESENTATION

Connectors:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|