

Code: TAM1GT1GT-30

POE POWER ADAPTER **TAM1GT1GT-30** - 30 W DAHUA

Net: **26.48 EUR** Gross: **26.48 EUR**

The TAM1GT1GT-30 is designed to powering devices using PoE technology.

The device has implemented "midspan" function, which allows to install it between switches not equipped with PoE ports and network devices (for example IP cameras or Access Points), which have to be powered via UTP.




SPECIFICATION

Standards:	PoE (802.3af/at) - 30 W
Input voltage:	100 ... 240 V AC
Output voltage:	53 V DC
Maximal output current:	0.63 A
Number of inputs:	1 pcs RJ-45
Connector:	• 1 x RJ-45 socket - Input • 1 x RJ-45 socket - Output
LED indicators:	Power, PoE
Supported data rates:	• Supported data rates 10 / 100 / 1000 Mbps - Gigabit Ethernet, • Midspan mode support
Output power:	30 W
Operation temp:	-10 °C ... 55 °C
Weight:	0.26 kg
Dimensions:	132 x 61 x 34 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Connectors:



Bottom view:



Example of cooperation with PFT1300 devices:



1. Switch without PoE
 2. Data
 3. Data + Power
 4. IP Camera
- In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------