

Code: PFT1300

EXTENDER PoE **PFT1300** DAHUA

Net: **164.00 PLN** Gross: **201.72 PLN**



The PFT1300 allows to increase the distance of PoE supply and data sending via UTP category 5e up to max. 200 m. The cascade connection of 2 extenders allows to send the data and powering up to 300 m.

Attention! The device does not require external power supply. The PFT1300 can operate only with PFT1200.

SPECIFICATION

Standards:	<ul style="list-style-type: none">• PoE : IEEE 802.3at, IEEE 802.3af - Output• High PoE - 60 W - Input
Input voltage:	42 ... 57 V DC
Output voltage:	48 V DC
Number of inputs:	1
Number of outputs:	<ul style="list-style-type: none">• 1 x PoE (802.3af)• 1 x PoE (802.3at)
Connector:	3 x RJ-45 socket
LED indicators:	Link/Act
Range:	2 x 100 m - Input / Output
Supported data rates:	10 / 100 Mb/s - Fast Ethernet
Output power:	max. 25.5 W @ IEEE 802.3at
Protections:	—
Housing:	Plastic
Operation temp. / Relative humidity:	-30 ... 65 °C / 10 ... 90 %
Weight:	0.06 kg
Dimensions:	80 x 51 x 23 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION

Connectors:




Side view:



Mounting side view:



Transmission schematic diagram:



In the kit:

