

Code: EPRADO-R19-22U/450-BLUE

HANGING RACK CABINET **EPRADO-R19-22U/450-BLUE**

Net: **137.37 EUR** Gross: **137.37 EUR**

More and more home devices to LAN, RTV, CCTV installations are made with a view to the RACK system, so that their installation is aesthetically pleasing, and that devices are protected against accidental mechanical damages.

The EPRADO-R19-22U/450-BLUE cabinet is suitable for mounting all sorts of devices in standard 19" rack housings. For this purpose the user should mount additional shelf/shelves available for RACK cabinet.

The RACK cabinet has many openings ensuring adequate air circulation. Additionally, it is possible to install fans to increase the ventilation.



SPECIFICATION

Internal width:	19 "
Internal height:	22 U
Internal depth:	390 mm
External width:	600 mm
External height:	1080 mm
External depth:	450 mm
Holes for fan coolers:	105 x 105 mm (2 places)
Bearing capacity:	60 kg
Color:	Black RAL9004
Door:	• Front: glass • Side: metal, snap-in
Main features:	• Cable entries are placed from the top and bottom • Removable side panels • Possibility to unscrew the rear panel • Possibility to mount the door as left or right • Mounting rail spacing : 490 mm • 2 keys included • Rack rails to mounting the devices - 4 pcs
Weight:	32 kg
Manufacturer / Brand:	EPRADO
Guarantee:	3 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION



Internal view:



Cable entry in the floor:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



By using the A19PR-B/450-BLUE rails (available separately), it is possible to obtain shelves for equipment which is not compatible with the Rack standard, e.g. some UPS units or recorders:



Rear view:



Side view (no mounted sides and back cover):



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------