


Code: ESP12-4R-MV

## RELAY MODULE **ESP12-4R-MV** Wi-Fi

Net: **14.81 EUR** Gross: **18.22 EUR**

The ESP12-4R-MV module allows you to wireless control 4 relays. Communication with the device takes place via the Wi-Fi interface.

The Arduino IDE or Eclipse package tools can be used to program the module. The module programming is done through the UART TTL serial port.




### SPECIFICATION



PTZ control:	Wi-Fi
Protocol:	IEEE 802.11 b/g/n/e/i, Wi-Fi Direct (P2P), TCP, UDP
Number of inputs:	—
Number of relay outputs:	4 pcs
Relay maximal load:	10 A / 250 V AC , 10 A / 30 V DC
Output:	4 x NO/NC
Main features:	<ul style="list-style-type: none"><li>• LED indication</li><li>• Programming with Arduino IDE or Eclipse tools</li><li>• The module can be used as an element of IoT (Internet of Things) systems</li><li>• The Wi-Fi module works in the 2.4 GHz band</li></ul>
Power supply:	<ul style="list-style-type: none"><li>• 7 V ... 30 V DC,</li><li>• 5 V DC,</li><li>• 90 V ... 250 V AC</li></ul> (power adapter not included)
Weight:	0.09 kg
Dimensions:	93 x 90 x 19 mm
Guarantee:	2 years

### PRESENTATION


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Connectors:



Connectors description:



1. Power supply AC
  2. Power supply DC
  3. Wi-Fi Module
  4. UART TTL serial port
  5. RELAY
  6. 1 relay output
  7. 2 relay output
  8. 3 relay output
  9. 4 relay output
- In the kit:

