

Code: DS-KAW60-2N

SWITCHING ADAPTER **DS-KAW60-2N**

Net: **55.18 EUR** Gross: **67.87 EUR**

Switching adapter installed on the TS35/7.5 or 15 DIN rail, resistant to high operation temperatures (up to 70°C).



SPECIFICATION

Adapter type:	Switching
Power voltage:	85 ... 264 V AC
Output voltage:	24 V DC
Output voltage adjustment:	21.6 V ... 29 V
Maximal load:	2.5 A
Output power:	60 W
Number of outputs:	2 pcs
Housing type:	DIN
Vibration resistance:	✓
Protections:	<ul style="list-style-type: none">• Short-circuit• Overload• Overvoltage
Operation temp. / Relative humidity:	-30 °C ... 70 °C / 20 ... 95 %
Weight:	0.19 kg
Dimensions:	51 x 93 x 58 mm
Manufacturer / Brand:	Hikvision
SAP Code:	305301453
Guarantee:	3 years

PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Top view:



Adapter connectors:





Side view:



Rear panel (DIN rail installation):



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

