

Code: M-SEP/HDR-30-24

## SWITCHING ADAPTER WITH SEPARATOR **M-SEP/HDR-30-24** VIDOS

Net: **40.32 EUR** Gross: **49.59 EUR**

The M-SEP/HDR-30-24 power supply adapter is designed to work in the VIDOS DUO two-wire digital system. The device combines the functions of a power supply adapter and a voltage and signal separator.

One M-SEP/HDR-30-24 power adapter can power up to 4 monitors simultaneously. In multi-room systems, the number of power adapters depends on the distance and the current load.

The power supply adapter is compatible with all VIDOS DUO series devices.



### SPECIFICATION

Compatibility:	VIDOS DUO
Adapter type:	Switching
Power voltage:	85 ... 264 V AC
Output voltage:	24 V DC
Output voltage adjustment:	21.6 ... 29 V
Maximal load:	1.5 A
Output power:	36 W
Number of outputs:	4 pcs
Housing type:	DIN
Vibration resistance:	✓
Protections:	<ul style="list-style-type: none"><li>• Short-circuit</li><li>• Overload</li><li>• Overvoltage</li></ul>
Operation temp:	-10 °C ... 50 °C
Weight:	0.33 kg
Dimensions:	70 x 98 x 59 mm
Manufacturer / Brand:	VIDOS
Guarantee:	2 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

## PRESENTATION


Adapter connectors:



Top view:



Rear panel (DIN rail installation):



In the kit:



**PACKAGE**

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

