

Code: DRP-024V480W-1BN

## SWITCHING ADAPTER **DRP-024V480W-1BN**

Net: **154.86 EUR** Gross: **190.48 EUR**

Switching adaptor installed on the TS35/7.5 or 15 DIN rail.



### SPECIFICATION

|                                      |   |
|--------------------------------------|---|
| Adapter type:                        | Switching   |
| Power voltage:                       | 86 ... 264 V AC   |
| Output voltage:                      | 24 V DC   |
| Output voltage adjustment:           | 22 ... 28 V   |
| Voltage tolerance:                   | ± 2 %   |
| Maximal load:                        | 20 A  |
| Output power:                        | 480 W   |
| Number of outputs:                   | 2 pcs   |
| Efficiency:                          | > 90 %  |
| Housing type:                        | DIN   |
| MTBF (Mean Time Between Faults):     | 500000 hours  |
| Vibration resistance:                | IEC60068-2-6, 10 ... 500 Hz max. 3 G for 60 minutes   |
| Protections:                         | <ul style="list-style-type: none"><li>• Short-circuit</li><li>• Overvoltage</li><li>• Overload protection</li></ul> |
| Operation temp. / Relative humidity: | -25 °C ... 75 °C / < 95 %   |
| Weight:                              | 1.48 kg   |
| Dimensions:                          | 144 x 121 x 119 mm  |
| Guarantee:                           | <b>5 years</b>  |

### PRESENTATION


Front panel:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Rear panel (DIN rail installation):



Side view:



Dimensions:

