

Code: PMT-24V150W2BA

SWITCHING ADAPTER **PMT-24V150W2BA** Delta Electronics

Net: **27.98 EUR** Gross: **27.98 EUR**



Small dimensions dual output switching power supply unit.
Attention! If the power adaptor is using for continuous work (24H) the rated current of the adaptor should be less than 80% of the maximal current.



SPECIFICATION

Adapter type:	Switching
Power voltage:	<ul style="list-style-type: none">• 100 V ... 120 V AC• 200 V ... 240 V AC selectable by switch
Output voltage:	24 V DC
Output voltage adjustment:	21.6 ... 26.4 V
Maximal load:	6.25 A
Output power:	150 W
Number of outputs:	2 pcs
Protections:	<ul style="list-style-type: none">• Short-circuit• Overload• Temperature
Operation temp. / Relative humidity:	-30 °C ... 70 °C / 5 % ... 95 %
Weight:	0.35 kg
Dimensions:	159 x 97 x 30 mm
Manufacturer / Brand:	Delta Electronics
Guarantee:	5 years


PRESENTATION

Adapter connectors:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



- L - Live wire (230V)
 - N - Neutral wire
 - FG - Grounding
 - V - DC "-" output
 - V - DC "-" output
 - +V - DC "+" output
 - +V - DC "+" output
 - ADJ - Output voltage adjustment
- Side view:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

