

Code: APS-724

BUFFERED SWITCHING POWER SUPPLY ADAPTER **APS-724** SATEL

Net: **237.64 EUR** Gross: **237.64 EUR**

The buffered power supply adapter is designed to powering control panels, sensors, code locks, cameras, consoles, intercoms and other alarm system equipment. The APS-724 has a special connector that enables cooperation with Satel devices.



SPECIFICATION


Adapter type:	Switching
Input voltage:	230 V AC
Output voltage:	24 V DC
Max. output current (total):	7 A
Power:	168 W
Battery charging current:	1 A
Protections:	• Short-circuit • Overload • Overvoltage • Discharge
Adapter operation control:	• DC output voltage presence indication • Battery charging indication • AC input voltage presence indication • WS output - indicating AC power collapse • WB output - Low battery voltage • WP output Current overload indication • WT output - Signaling of too high temperature of the device
Housing type:	Aluminum
Weight:	1.17 kg
Dimensions:	290 x 100 x 68 mm
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION


Top view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



View after open the front cover:



Connectors:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

