

Code: DS-PDSMK-S-WE

WIRELESS SMOKE DETECTOR AX PRO **DS-PDSMK-S-WE** Hikvision

Net: **94.22 EUR** Gross: **94.22 EUR**

Wireless smoke detector, which is designed to early detection of a developing fire. Besides sending the information to the control panel, the DS-PDSMK-S-WE detector can warn of the danger of using the built sound alarm.

The DS-PDSMK-S-WE supports the other devices compatible with wireless HIKVISION AX PRO system.



SPECIFICATION

Support:	HIKVISION AX PRO
Detection:	smoke
Alarm signaling:	• Buzzer ≥ 85 dB @ 3 m • LED indicator - red • Signal to control panel
Frequency band:	868 MHz
Radio communication range (at open area):	800 m
Power supply:	1 x battery CR17450 3 V (built-in)
Backup time:	~ 10 years
Main features:	• Smoke detection - Chamber with photoelectric sensor • Signal indicator • Bidirectional communication • AES-128 data encryption • Ceiling mounting
Color:	White
Operation temp:	-10 °C ... 60 °C
Weight:	0.124 kg
Dimensions:	Ø 102 x 35 mm
Manufacturer / Brand:	Hikvision
SAP Code:	314300075
Guarantee:	2 years

PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Front view:



View after remove the cover:



Rear view:



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

