

Code: MC1MINI-WE

## WIRELESS MAGNETIC CONTACT **MC1MINI-WE** PYRONIX

Net: **34.60 EUR** Gross: **34.60 EUR**

The MC1MINI-WE wireless detector (magnetic contact) is used to protection the windows and doors. The detector is also designed to detect the mishandling of security roller blinds. The device communicates with alarm control panel wirelessly via Pyronix protocol.



### SPECIFICATION

|                                           |                                                                                                                                                                 |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Support:                                  | Wireless alarm systems PYRONIX Enforcer                                                                                                                         |
| Detection:                                | <ul style="list-style-type: none"><li>• Opening the door or window</li><li>• Tamper detection - opening the enclosure, removing from mounting surface</li></ul> |
| Alarm signaling:                          | Signal to control panel                                                                                                                                         |
| Frequency range:                          | 868 MHz Pyronix protocol                                                                                                                                        |
| Radio communication range (at open area): | max. 1600 m                                                                                                                                                     |
| Alarm inputs:                             | —                                                                                                                                                               |
| Battery:                                  | 1 x 3 V CR123A (included)                                                                                                                                       |
| Backup time:                              | > 2 years                                                                                                                                                       |
| Environment class:                        | Grade 2                                                                                                                                                         |
| Operation temp:                           | -10 °C ... 40 °C                                                                                                                                                |
| Weight:                                   | 0.057 kg                                                                                                                                                        |
| Dimensions:                               | <ul style="list-style-type: none"><li>• 26 x 105 x 27 mm - Reed switch</li><li>• 16 x 50 x 14 mm - Magnet</li></ul>                                             |
| Manufacturer / Brand:                     | PYRONIX                                                                                                                                                         |
| SAP Code:                                 | 361300061                                                                                                                                                       |
| Guarantee:                                | 2 years                                                                                                                                                         |

### PRESENTATION





DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Front view:



Internal view of the housing:



Mounting side view:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|