

Code: DS-PD1-MC-WWS(H)

## WIRELESS MAGNETIC CONTACT **DS-PD1-MC-WWS(H)** Hikvision

Net: **32.92 EUR** Gross: **32.92 EUR**

The DS-PD1-MC-WWS(H) wireless detector (magnetic contact) is used to protect the windows and doors. The detector is also designed to detect the mishandling of security roller blinds.

The device communicates with alarm control panel wirelessly via Pyronix protocol.



### SPECIFICATION

|                                           |                                                                                                                                                                 |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Support:                                  | Wireless alarm systems HIKVISION AX / PYRONIX Enforcer                                                                                                          |
| Detection:                                | <ul style="list-style-type: none"><li>• Opening the door or window</li><li>• Tamper detection - opening the enclosure, removing from mounting surface</li></ul> |
| Alarm signaling:                          | Signal to control panel                                                                                                                                         |
| Frequency range:                          | 868 MHz                                                                                                                                                         |
| Radio communication range (at open area): | max. 800 m                                                                                                                                                      |
| Alarm inputs:                             | —                                                                                                                                                               |
| Battery:                                  | 1 x 3 V CR123A (included)                                                                                                                                       |
| Backup time:                              | ~ 2 years                                                                                                                                                       |
| Operation temp:                           | -10 °C ... 55 °C                                                                                                                                                |
| Weight:                                   | 0.04 kg                                                                                                                                                         |
| Dimensions:                               | <ul style="list-style-type: none"><li>• 84 x 25 x 21 mm - Reed switch</li><li>• 33 x 13 x 12 mm - Magnet</li></ul>                                              |
| Manufacturer / Brand:                     | Hikvision                                                                                                                                                       |
| SAP Code:                                 | 302401121                                                                                                                                                       |
| Guarantee:                                | 2 years                                                                                                                                                         |

### PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Internal view of the housing:





Magnet:



Side view:



Mounting side view:



In the kit:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

