

Code: DS-PD1-MC-WWS(P)

# WIRELESS MAGNETIC CONTACT **DS-PD1-MC-WWS(P)** Hikvision

Net: **37.60 EUR** Gross: **46.25 EUR**

The DS-PD1-MC-WWS(P) wireless detector (magnetic contact) is used to protection the windows and doors. The detector is also designed to detect the mishandling of security roller blinds.

The device communicates with alarm control panel wirelessly via Pyronix protocol.



## SPECIFICATION

Support:	Wireless alarm systems HIKVISION AX / PYRONIX Enforcer
Detection:	<ul style="list-style-type: none"><li>• Opening the door or window</li><li>• Tamper detection - opening the enclosure, removing from mounting surface</li></ul>
Alarm signaling:	Signal to control panel
Frequency range:	868 MHz
Radio communication range (at open area):	max. 800 m
Alarm inputs:	<input type="checkbox"/>
Battery:	1 x 3 V CR123A (included)
Backup time:	~ 2 years
Operation temp:	-10 °C ... 40 °C
Weight:	0.07 kg
Dimensions:	<ul style="list-style-type: none"><li>• 105 x 26 x 27 mm - Reed switch</li><li>• 50 x 15 x 14 mm - Magnet</li></ul>
Manufacturer / Brand:	Hikvision
SAP Code:	302401121
Guarantee:	2 years

## PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Front view:



Internal view of the housing:





Mounting side view:



In the kit:

