

Code: DS-PDMCX-E-WE

WIRELESS EXTERNAL MAGNETIC CONTACT AX PRO **DS-PDMCX-E-WE**

Hikvision

Net: **46.15 EUR** Gross: **56.76 EUR**



The DS-PDMCX-E-WE wireless detector (magnetic contact) is designed for outdoor usage. Robust plastic housing, UV stable. The product meets the IP66 tightness class.

The DS-PDMCX-E-WE supports the other devices compatible with wireless HIKVISION AX PRO system.

SPECIFICATION

| | |
|---|--|
| Support: | HIKVISION AX PRO |
| Detection: | Gate opening, Opening the door |
| Break distance: | ~ 76 mm |
| Alarm signaling: | <ul style="list-style-type: none">• LED indicator : Color - blue,• Signal to control panel |
| Frequency range: | 868 MHz - Tri-X Wireless |
| Radio communication range (at open area): | max. 1600 m |
| Alarm inputs: | NO/NC |
| Power supply: | 1 x battery CR123A 3 V (included) |
| Backup time: | ~ 5 years |
| Current consumption: | max. 48 mA |
| Main features: | <ul style="list-style-type: none">• Tamper detection - opening the enclosure, removing from mounting surface• Signal indicator• Digital detector• Transmission encoding - 128-bit AES encryption• Bidirectional communication• Frequency hopping against jamming for reliable transmission• Remote management• UV radiation resistance• "Index of Protection" : IP66 |
| Operation temp: | -20 °C ... 60 °C |



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|-----------------------|---|
| Color: | White |
| Weight: | <ul style="list-style-type: none"> • 0.156 kg - Transmitter • 0.096 kg - Magnet |
| Dimensions: | <ul style="list-style-type: none"> • 41 x 146 x 41 mm - Transmitter • 31 x 146 x 41 mm - Magnet |
| Country of origin: | China |
| SAP Code: | 314300151 |
| Manufacturer / Brand: | Hikvision |
| Guarantee: | 2 years |

PRESENTATION

Front view:



Internal view of the housing:



Mounting side view:



In the kit:

