

Code: JA-83M

WIRELESS MAGNETIC CONTACT **JA-83M** JABLOTRON

Price visible after login

The JA-83M wireless detector (magnetic contact) is used to protection the windows and doors. Its small dimensions of (75 x 31 x 23 mm) ensure good aesthetics and enable easy mounting to the window or door frame. It is equipped with one side contact, depending on the needs it can be installed vertically or horizontally. Detector can work in two modes, you can switch between them. In the first mode an open signal is sent only, in the second mode both open and close signals are sent. The device communicates with alarm control panel wirelessly via OASiS protocol.



SPECIFICATION

Detection:	Opening the door or window
Alarm signaling:	Signal to control panel
Frequency range:	868 MHz OASiS protocol
Radio communication range (at open area):	max. 300 m
Battery:	CR123A 3 V (not included)
Backup time:	~ 3 years (20 activations a day)
Environment class:	Grade 2
Operation temp:	-10 °C ... 40 °C
Color:	White
Weight:	0.04 kg
Dimensions:	• Transmitter : 75 x 31 x 23 mm • Magnet A : 56 x 16 x 15 mm • Magnet B : 10 x 4 mm
Manufacturer / Brand:	JABLOTRON
Guarantee:	2 years

PRESENTATION

Inner view, type A magnet and transmitter:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

