

Code: JA-182M

WIRELESS MAGNETIC CONTACT **JA-182M** JABLOTRON

Price visible after login



The JA-182M is a wireless and invisible from outdoor opening detector mounted inside of window frame. The device controls the state of opening and closing a window based on position of the handle (closing hitch). The device is powered by battery, for communication is used the Jablotron radio protocol.

SPECIFICATION

Support:	JABLOTRON 100
Detection:	Change the position of closing hitch, Opening the door or window
Frequency band:	868.1 MHz JABLOTRON protocol
Radio communication range (at open area):	max. 200 m
Alarm signaling:	Signal to control panel
Tamper contact:	✓
Battery:	2 x CR2354 3V (not included)
Backup time:	~ 3 years
Environmental class EN 50130-5:	—
Protection class (Grade):	Grade 2
Complies with norms:	EN 50131-1, EN 50131-2-6, EN 50131-5-3, ETSI EN 300220, EN 50130-4, EN 55022, EN 60950-1 ERC REC 70-03
Main features:	The LED to indicate violations in test mode, easy start-up and later maintenance of the system
Operation temp:	-10 °C ... 40 °C
Color:	White
Weight:	0.03 kg
Dimensions:	192 x 25 x 9 mm
Manufacturer / Brand:	JABLOTRON

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Guarantee:

2 years


PRESENTATION



View after remove the cover:



Internal view after remove the cover (configuration jumpers):



Method of mounting:



Mounting side view:



In the kit:

