

Code: DCTXP-2-BR

WIRELESS MAGNETIC CONTACT **DCTXP-2-BR** PARADOX

Net: **50.39 EUR** Gross: **50.39 EUR**

The DCTXP-2-BR wireless detector (magnetic contact) is used to protect the windows and doors. Additionally, the device is equipped with input, which enables connecting any wire detector.




SPECIFICATION

Support:	PARADOX: SPECTRA SP (RTX-3, RX-1, K-32_LX), MAGELLAN MG, Digiplex EVO (RTX-3, K-641_LX)
Detection:	• Opening the door or window, • The input, which enables connecting any wire detector
Break distance:	~ 10 mm
Alarm signaling:	Signal to control panel
Frequency range:	433 MHz - PARADOX MAGELLAN
Radio communication range (at open area):	max. 60 m
Alarm inputs:	NO/NC
Battery:	2 x AAA 1.5 V (not included)
Backup time:	~ 3 years
Current consumption:	max. 5 mA
Main features:	• Input response time : 45 ms • Tamper protections • The ability to connect 1 alarm zone
Compliance with standards:	EN 61000-6-3, EN 50130-4 EN 60950-1 ETSI EN 300 220-2, ETSI EN 301 489-1, ETSI EN 301 489-3 EN 50581
Operation temp:	-10 °C ... 55 °C
Color:	Brown

Weight:	0.05 kg
Dimensions:	• Transmitter : 32 x 112 x 25 mm • Magnet A : 14 x 44 x 16.5 mm
Country of origin:	Canada
Manufacturer / Brand:	PARADOX
Guarantee:	2 years

PRESENTATION

Inner view, type A magnet and transmitter:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60