

Code: SH-750/595/322

# HERMETIC ENCLOSURE **SH-750/595/322** 750 x 595 x 322 mm

Net: **158.84 EUR** Gross: **195.37 EUR**



## SPECIFICATION

Material:	Aluminum PA11
Color:	Light gray (RAL 7035)
Mounting plate:	—
Main features:	<ul style="list-style-type: none"><li>• Hermetic</li><li>• Rubber gasket</li><li>• Properties of PA11 aluminum :<ul style="list-style-type: none"><li>- High corrosion resistance, including marine and industrial environments</li><li>- Good tensile strength</li><li>- High fatigue strength of the material</li></ul></li><li>• 2 pcs Rack rails slide out on the guides for mounting devices : Rack 19", 5 U ( 54 cm from the bottom, 20 cm from the top )</li><li>• Holes for cables from the bottom : Ø 16 mm - 6 pcs</li><li>• The door opens to the right (max. 180°), secured with a brass handle with a lock and a three-point locking system</li><li>• Enclosure adapted to be mounted on a wall or on a mast (with a dedicated bracket)</li><li>• "Index of Protection" : IP55</li><li>• Vandal-proof housing (IK10)</li></ul>
Weight:	9.2 kg
Housing external dimensions:	750 x 595 x 322 mm
Internal dimensions:	580 x 710 x 285 mm
Guarantee:	2 years

## PRESENTATION

Internal view of the housing:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Rack rails slide out on the guides for mounting devices:





Mounting side view:



Bottom view:





In the kit:

