Code: ATLO-RM-101B

PROXIMITY READER WITH MEMORY **ATLO-RM-101B**

Net: 33.71 EUR Gross: 33.71 EUR



Outdoor, autonomous RFID reader.
Autonomous operation of the device allows the user to:
• Open by using a card.
• Remember stored cards.
• Signaling left the door open.
• Acoustic and optical signaling.

Administrator capabilities are following:
• Programming by using included remote IR controller.
• Setting the lock release time.
• Restoring the default settings.

SPECIFICATION

Cards support:	Unique EM 125kHz
Reading distance of prox-keys:	max. 6 cm
Autonomous operation:	✔
Keyboard built-in:	–
Doorbell button:	–
Tamper output:	✔
Power supply:	12 V DC ± 10%
Maximal current consumption:	65 mA
Relay contacts load:	3 A / 24 V
Main features:	• 10 000 indexed users • Support for door contact and exit button • NO/NC output • Possible connection of the external ATLO-R series reader (read in/out door control)
Operation temp:	-10 °C ... 60 °C
Permissible relative humidity:	20 ... 90 % (non-condensing)
"Index of Protection":	IP40
Housing:	Plastic
Color:	Black
Weight:	0.76 kg

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions:	115 x 57 x 23 mm
Manufacturer / Brand:	ATLO
Guarantee:	**3 years**

PRESENTATION

Front panel view:



Internal view of the housing:




Mounting side view:

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



RESET	Pink	D_IN	Brown
GND	Pink	DC+12V	Red
D0	Green	GND	Black
D1	White	NO	Blue
ALARM	Grey	COM	Purple
OPEN	Yellow	NC	Orange

In the kit:



OUR OPINIONS

- The remote controller has the same functions as keypad in ATLO-KRM-5xx readers.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60