

Code: PRT64LT-G

## PROXIMITY READER WITH KEYPAD **PRT64LT-G** ROGER

Net: **187.00 PLN** Gross: **230.01 PLN**



Outdoor proximity cards and key-fobs reader. Unique 125 kHz standard.

### SPECIFICATION

Cards support:	Unique EM 125kHz
Reading distance of prox-keys:	max. 15 cm
Keyboard built-in:	<input checked="" type="checkbox"/>
Autonomous operation:	<input checked="" type="checkbox"/>
Doorbell button:	<input checked="" type="checkbox"/>
Tamper output:	<input checked="" type="checkbox"/>
Communication:	<ul style="list-style-type: none"><li>• Wiegand 26-66bit</li><li>• Magstripe (Clock &amp; Data)</li><li>• RACS (Roger) and others</li></ul>
Main features:	<ul style="list-style-type: none"><li>• Tamper protection (detection of removing from mounting surface and enclosure opening)</li><li>• LED indication</li><li>• Beep signal</li><li>• Different options of PIN codes and keyboard codes transmission</li><li>• Separate inputs for LED indicator control and for speaker</li><li>• Manual or computer programming</li><li>• Keypad backlight buttons</li></ul>
Power supply:	10 ... 15 V DC
Average current consumption:	65 mA
Operation temp:	-25 °C ... 60 °C
Permissible relative humidity:	10 ... 95 % (non-condensing)
"Index of Protection":	IP67

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Weight:	0.176 kg
Dimensions:	115 x 80 x 35 mm
Manufacturer / Brand:	ROGER
Guarantee:	<b>3 years</b>

## PRESENTATION

Front panel:



Internal view of the housing:






Mounting side view:



Dimensions:



In the kit:

