

Code: DS-K1101MK

PROXIMITY READER **DS-K1101MK** Hikvision

Net: 53.27 EUR Gross: 65.52 EUR



Outdoor proximity cards and key-fobs reader.

SPECIFICATION

Cards support:	MIFARE 13.56 MHz
Reading distance of prox-keys:	max. 5 cm
Autonomous operation:	<input type="checkbox"/>
Keyboard built-in:	<input type="checkbox"/>
Doorbell button:	<input type="checkbox"/>
Communication:	RS-485, Wiegand 34/26
Tamper output:	<input type="checkbox"/>
Power supply:	12 V DC
Maximal current consumption:	500 mA
Main features:	<ul style="list-style-type: none">• Control of touch-sensitive buttons• Blue backlight of the keys• Watchdog built-in• LED indication• Buzzer• Installation in dedicated flush-mounted boxes DS-KAB118
Operation temp:	-20 °C ... 65 °C
Permissible relative humidity:	10 ... 90 % (non-condensing)
"Index of Protection":	IP64
Housing:	Plastic, Waterproof

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Color:	Black
Weight:	0.14 kg
Dimensions:	132 x 92 x 20.5 mm
Manufacturer / Brand:	Hikvision
SAP Code:	302900508
Guarantee:	3 years

PRESENTATION

Front panel view:




Mounting side view:






On the body, under the cover there are placed configuration switches:



Connectors:



Connectors description:

WIRE COLOR	SIGNAL
ORANGE	ERR
WHITE	W1
GREEN	W0
BLUE	485B
YELLOW	485A
RED	12V
BLACK	GND
GREY	TAMPER
PURPLE	BEEP
BROWN	OK

In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60