

Code: MCT68ME-IO-0

PROXIMITY READER **MCT68ME-IO-0** ROGER

Net: **216.47 EUR** Gross: **266.26 EUR**

Outdoor proximity cards and key-fobs reader. Metal protection enclosure included. Unique EM 125 kHz, 13.56 MHz Mifare Classic standard.



SPECIFICATION

Support:	RACS 5 (Roger)
Cards support:	Unique EM 125kHz, MIFARE 13.56 MHz
Reading distance of prox-keys:	max. 10 cm Unique EM 125kHz max. 7 cm Mifare
Keyboard built-in:	✓
Autonomous operation:	—
Doorbell button:	—
Tamper output:	✓
Communication:	<ul style="list-style-type: none">• RS-485• RACS 5 (Roger)
Main features:	<ul style="list-style-type: none">• Tamper protection (detection of removing from mounting surface and enclosure opening)• LED indication• Beep signal• 3 programmable input lines NO/NC• Two transistor outputs• Relay output• Metal protection enclosure
Power supply:	10 ... 15 V DC
Average current consumption:	100 mA
Operation temp:	-25 °C ... 60 °C
Permissible relative humidity:	10 ... 95 % (non-condensing)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

"Index of Protection":	IP54
Weight:	1 kg
Dimensions:	220 x 157 x 104 mm
Manufacturer / Brand:	ROGER
Guarantee:	3 years

PRESENTATION

Front panel:



Side view:



Rear view:



View after remove the cover:
Front view:





Rear view:



Internal view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------