

Code: APTI-T21V2-36

CAMERA **APTI-T21V2-36** STANDARD: HD-TVI - 1080p 3.6 mm

Megapixel camera with 1/2.7" OmniVision OV2710 CMOS sensor and HD-TVI (High Definition Transport Video Interface). The HD-TVI interface allows to transmission of analog video signal via coaxial cable at resolutions up to 1080p. It enables the transmission of HD resolution images for even 500 m distance with keeping the low costs of the installation. During transmission there are no delays and is maintained the original, high quality image.



Standard:	HD-TVI
Digital Image Processor:	FH8531+TP2801
Sensor:	1/2.7 " OmniVision OV2710 CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p @ HD-TVI
Video output:	HD-TVI - BNC socket
OSD menu:	—
Lens:	3.6 mm, 2.0 Mpx
View angle:	<ul style="list-style-type: none"> • 73 ° (manufacturer data) • 86 ° (our tests result)
S/N ratio:	> 50 dB
Range of IR illumination:	20 m
IR illuminator power adjustment:	Automatic
Main features:	<ul style="list-style-type: none"> • ICR - Movable InfraRed filter • 2-DNR - Digital Noise Reduction • Auto White Balance • IR illuminator optimization • AGC - Automatic Gain Control
Power supply:	12 V DC / 340 mA
Housing:	Dome - Metal



DATA SHEET

Vandal-proof:	✓
Color:	Graphite
"Index of Protection":	IP66
Operation temp:	-20 °C ... 60 °C
Weight:	0.280 kg
Dimensions:	Ø 93 x 69 mm
Country of origin:	China
Manufacturer / Brand:	APTI
Guarantee:	2 years

