

User Manual

Code: RAYTECH-2.3 SELF-AMALGAMATING TAPE RAYTECH-2.3

Warning!

Please read the user manual included in this work as it contains important information related with safety of installation and use of the device.

Only persons who read the user manual may use the device.

The user manual must be kept because it may be required in the future. The device is to be used exclusively for purposes specified in this user manual.

The device must be unpacked prior to starting-up. After removing the packaging make sure the device is in working order. If the product has defects, it should not be used until it is repaired.

The product is intended for use at home and commercial use and may not be used for other than intended use.

The manufacturer is not liable for damages resulting from not adhering to the rules contained in the user manual, therefore, we recommend to follow the aforementioned safety rules for operation and maintenance of the device. In this way you will ensure yourself safety and avoid causing damage to the device.

The manufacturer and the supplier are not liable for losses or damages arising out of the product, including financial or intangible losses, loss of profits, income, data, pleasure from use of the product or other products related with it - indirect, incidental or consequential loss or damage. The above provisions apply whether the loss or damage concerns:

- 1. Deterioration of quality or the lack of operation of the products or products related with it due to damage as well as the lack of access to the product when it is undergoing repair, which results in stoppage the loss of user's time or a break in business activity;
- 2. Improper results of operation of the product or products related with it;
- 3. It applies to losses and damages according to any legal category, including negligence and other losses, termination of a contract, expressed or implied guarantee and strict liability (even if the manufacturer or the supplier was notified about the possibility of occurrence of such damages).

Safety measures:

Particular attention at designing was directed to quality standards of the device where ensuring safety of operation is the most important factor.

The device must be secured against contact with caustic, staining and viscous fluids.

The RAYTECH-2.3 self-amalgamating insulating tape was produced on the basis of ethylene-propylene rubber. The tape is widely used for sealing cable connections in both indoor and outdoor installations. Correct application of the tape ensures total waterproof for fresh and sea water in a vary wide range of temperatures.

The tape is interleaved with a disposable plastic liner, which must be removed before applying the tape.

Correct application of the tape:

The tape has no adhesive, the seal of the connection is the result of the self-amalgamating process of subsequent layers of tape.

The surfaces for tape applying have to be clean, dry, free of dust, grease, oil and other contaminants.

Application method is wrapping the tape (without plastic liner) around the object, stretching it to the point that its width reduces to about 2/3, and make 50% overlap. It guaranties tight adhesion of the tape to the protected object and between its layers. The tension of the tape during wrapping is very important because it guarantees the proper adhesion. Depending on the temperature of the environment within a few hours, the layers are amalgamated to each other but not to the substrate. The full self-amalgamating process takes about 24 hours at room temperature (20°C).



Length:	9 m
Thickness:	0.76 mm





User Manual

Code: RAYTECH-2.3 SELF-AMALGAMATING TAPE RAYTECH-2.3

Width:	19 mm
Color:	Black
Material:	Ethylene-Propylene Rubber (EPR)
Manufacturer / Brand:	RayTech
Guarantee:	2 years



Example of application:





User Manual

Code: RAYTECH-2.3 SELF-AMALGAMATING TAPE RAYTECH-2.3



PACKAGE

Dimensions (L x W x H): 0x0x0 mm Gross Weight: 0 kg