

Code: TSW304

INDUSTRIAL SWITCH **TSW304** 4-PORT Teltonika

The TSW304 Switch is an industrial type device enabling fluent network transmission at rates 10 / 100 / 1000 Mbps. Devices of this type can be used in installations realized in industrial facilities in harsh environmental conditions like high or low temperature.

The Teltonika TSW304 switch has a 2-pin industrial power socket and supports a wide range of power supply voltages.



LAN ports:	4 x RJ45
Management:	—
Transmission speed:	10 / 100 / 1000 Mbps - 4 LAN ports
LED diodes:	Power, Link/Act
MAC addresses table:	2k
Main features:	<ul style="list-style-type: none"> • MDI/MDI-X auto detection feature - auto detecting the data transmission mode • Durable aluminum housing • Shock-proof • Industrial wide temperature design. • Mounting on DIN rail, • 2-pin industrial power socket, • Wide range of supported supply voltages • Passive PoE input on port 1 • Grounding • "Index of Protection" : IP30
Certificates:	CE, UKCA, FCC, RoHS
Housing:	Aluminum





DATA SHEET

Power supply:	<ul style="list-style-type: none">• 7 ... 57 V DC,• 9 ... 40 V AC,• Passive PoE input on port 1
Power consumption:	≤ 1.44 W
Operation temp:	-40 °C ... 75 °C
Weight:	0.2 kg
Dimensions:	102 x 25 x 81.5 mm
Manufacturer / Brand:	Teltonika
Guarantee:	2 years