

Code: APTI-XB0801-S35

## AHD, HD-CVI, HD-TVI, CVBS, IP DVR **APTI-XB0801-S35** 8 CHANNELS

The APTI-XB0801-S35 digital recorder with AHD (Analog High Definition), HD-CVI (High Definition Composite Video Interface), HD-TVI (High Definition Transport Video Interface), TCP/IP and CVBS interface is a professional device applicable in surveillance systems.

The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.



Standard:	AHD, HD-CVI, HD-TVI, CVBS, IP
Video inputs:	8 pcs BNC
Video outputs:	<ul style="list-style-type: none"> <li>• 1 pcs HDMI</li> <li>• 1 pcs VGA</li> </ul>
Audio inputs:	1 pcs CINCH
Audio outputs:	1 pcs CINCH
Image compression method:	H.265+ / H.265 / H.264+ / H.264
Image records resolutions:	<ul style="list-style-type: none"> <li>• AHD / HD-TVI : 5M-N - 1296 x 1944 px, ,</li> <li>• AHD / HD-TVI / HD-CVI : 4M-N - 1280 x 1440 px, 1080N - 960 x 1080 px, 720p - 1280 x 720 px, ,</li> <li>• CVBS : 960H - 960 x 480 px,</li> <li>• IP : max. 5 Mpx - 2592 x 1944 px</li> </ul>





# DATA SHEET

Recording speed adjustment:	5 Mpx IP @ 1 ... 25 fps 5M-N @ 1 ... 6 fps 4M-N @ 1 ... 8 fps 1080N @ 1 ... 15 fps 720p @ 1 ... 15 fps 960H @ 1 ... 25 fps for each channel
Operation modes:	<ul style="list-style-type: none"><li>• 8 x AHD / HD-CVI / HD-TVI / CVBS</li><li>• 2 x AHD / HD-CVI / HD-TVI / CVBS + 7 x IP</li><li>• 4 x AHD / HD-CVI / HD-TVI / CVBS + 5 x IP</li><li>• 6 x AHD / HD-CVI / HD-TVI / CVBS + 3 x IP</li><li>• 16 x IP</li></ul> All modes allow for any combination of the AHD, HD-CVI, HD-TVI, CVBS cameras
Recording modes:	Manual, Motion Detection, Schedule
Supported hard drives:	1 x 8 TB SATA
External storage devices backup:	Records backup at (.avi) format to USB (pendrive)
Searching and playback the records:	Records searching: timeline or file list. Playback: forward, backward, fast, slow. Records playback from max. 4 channels in the same time
Network interface:	1 x RJ-45 - 10/100 Base-T
Network functions:	<ul style="list-style-type: none"><li>• Network Client Software (iVMS320): live view, playback and backup of the records</li><li>• IE browser: live view, playback and backup of the records and configuration of the recorder parameters</li></ul>
Mobile phones support:	Port no.: 6000 or access by a cloud (P2P) <ul style="list-style-type: none"><li>• Android: <a href="#">BitVision</a> free application, Android: <a href="#">iVMS320</a> free application</li><li>• iOS (iPhone): <a href="#">BitVision</a> free application, iOS: <a href="#">iVMS320</a> free application</li></ul>
Default IP address:	192.168.1.88
Default admin user / password:	admin / 12345
Web browser access ports:	80, 5000, 554
PC client access ports:	80, 5000, 554
Mobile client access ports:	80, 5000, 6000
USB:	2 pcs USB 2.0
Serial ports:	—
Alarm inputs / outputs:	—
PTZ control:	Coaxial
Motion Detection:	✓
Intelligent Image Analysis:	✓
Main features:	<ul style="list-style-type: none"><li>• Human detection</li><li>• Privacy zones</li><li>• D-ZOOM - Digital Zoom</li><li>• PUSH personal messaging</li><li>• e-mail personal messaging</li></ul>
Mouse support:	✓
IR remote controller in the set:	—
Power supply:	12 V DC / 1.5 A (power adapter included)



# DATA SHEET

Power consumption:	≤ 7 W (without HDD)
Color:	Black
Weight:	0.72 kg
Dimensions:	260 x 243 x 46 mm
Supported languages:	Polish, English, Bulgarian, Czech, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Turkish, Ukrainian, Hungarian, Italian
Manufacturer / Brand:	APTI
Guarantee:	2 years