

Warning!

Please read the user manual included in this work as it contains important information related with safety of installation and use of the device.

Only persons who read the user manual may use the device.

The user manual must be kept because it may be required in the future. The device is to be used exclusively for purposes specified in this user manual.

The device must be unpacked prior to starting-up. After removing the packaging make sure the device is in working order. If the product has defects, it should not be used until it is repaired.

The product is intended for use at home and commercial use and may not be used for other than intended use.

The manufacturer is not liable for damages resulting from not adhering to the rules contained in the user manual, therefore, we recommend to follow the aforementioned safety rules for operation and maintenance of the device. In this way you will ensure yourself safety and avoid causing damage to the device.

The manufacturer and the supplier are not liable for losses or damages arising out of the product, including financial or intangible losses, loss of profits, income, data, pleasure from use of the product or other products related with it - indirect, incidental or consequential loss or damage. The above provisions apply whether the loss or damage concerns:

1. Deterioration of quality or the lack of operation of the products or products related with it due to damage as well as the lack of access to the product when it is undergoing repair, which results in stoppage the loss of user's time or a break in business activity; 2. Improper results of operation of the product or products related with it;

3. It applies to losses and damages according to any legal category, including negligence and other losses, termination of a contract, expressed or implied guarantee and strict liability (even if the manufacturer or the supplier was notified about the possibility of occurrence of such damages).

Safety measures:

Particular attention at designing was directed to quality standards of the device where ensuring safety of operation is the most important factor.

The device must be secured against contact with caustic, staining and viscous fluids.

The device was designed in such a way that it restarts operation when power supply is restored after a break. Turn off the device before transporting it.

Prior to connecting the device to a power source check whether the supplied voltage is consistent with rated voltage specified in the user manual.

Attention! We recommend using protections to further protect the device from possible overvoltages in installations. Surge protectors are effective protection against accidental pass to the device voltages higher than the rated. Damages caused by pass the voltages higher than specified in manual, are not under warranty.

Proper product disposal:

A marking of a crossed out waste bin indicates that the product may not be disposed together with other household waste in the entire EU. To avoid possible damage to the natural environment of health due to uncontrolled waste disposal, therefore, it should be handed over for recycling, propagating in this way sustainable use of natural resources.

To return a worn-out product, use a collection and disposal system of this type of equipment or contact a seller from whom it was purchased. He will then be recycled in an environmentally-friendly way.

It is forbidden to use the device in case its power cord or plug is damaged, the device works incorrectly, was damaged or dropped. A damaged power cord or plug must be replaced with new ones by the manufacturer, personnel of service centre or a person with relevant qualifications in order to avoid the risk of electric shock. We do not recommend repairing the device on one's own for safety reasons.

The device is not intended for operation by persons (including children) with limited physical, sensory or mental capabilities as well as persons inexperienced in operation or not competent to operate of such device, unless the operation is supervised by a person responsible for their safety or in line with instructions for use provided by such person.

It is forbidden to touch the plug with wet hands! Pull the plug, never the cable, to pull out the plug from a socket.

The device is to be used exclusively according to its use described in this manual. Use of accessories not recommended by the manufacturer of the device may cause fire, electric shock or injuries.

Marking of a lightning inside a equilateral triangle signifies presence of dangerous voltage, contained under the cover of the device. It may be dangerous for user's life and health.







NVR equipped with advanced functions of intelligent image analysis.

Standard:	ТСР/ІР			
Supported resolutions:	max. 12 Mpx			
Video outputs:	1 pcs HDMI 4K 1 pcs VGA			
Audio support:	4 Channels Channels - Audio from cameras			
Audio inputs:	1 pcs CINCH			
Audio outputs:	1 pcs CINCH			
Image compression method:	H.265+ / H.265 / H.264+ / H.264 / MJPEG			
USB:	2 pcs USB 2.0			
Supported hard drives:	1 x 6 TB SATA III			
Recording modes:	Manual, Sensor, Motion detection, Schedule			
Network protocols:	HTTP, HTTPS, TCP/IP, IPv4/IPv6, UPnP, SNMP, RTSP, UDP, NTP, DHCP, DNS, ONVIF			
External storage devices backup:	Backup to USB drive (pendrive, external drive)			
Searching and playback the records:	Records searching: by time and events type. Records playback: forward, backward, fast, slow Advanced searching (to the one second accuracy) All channels synchronous playback, Smart Search function			
Bitrate:	max. 80 Mbps			
Network functions:	Full support via network, Remote records copying, Web Server built-in			
Mobile phones support:	Port no.: 37777 or access by a cloud (P2P) Android: Free application <u>DMSS</u> iOS (iPhone): Free application <u>DMSS</u> See how to configure the P2P function in Dahua recorders and how to enable the provider of the provid			
Default IP address:	mobile application 192.168.1.108			
	132.100.1.100			



DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl POL; 60-713 Poznań; Graniczna 10 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



User Manual Code: NVR2104-I NVR **NVR2104-I** 4 CHANNELS DAHUA

Default admin user / password:Interadiministrator password should be set at the first startWeb browser access ports:80,3777PC client access ports:37777Mobile client access ports:37777RTSP URL:rtsp://administrator password should be set at the first startMain stream trsp://administrator71000000000000000000000000000000000000					
PC client access ports: 37777 Mobile client access ports: 37777 RTSP URL: rtsp://admin.bas/o@192.168.1.108.554/cam/realmonitor?channel=1&subtype=0 - Main stream Alarm inputs / outputs: - PTZ control: IP Speed Dome Cameras Motion Detection: 22 x 18 motion zones - after motion detection records detected channels only Intelligent Image Analysis: - Mouse support: - Intelligent Image Analysis: - Mouse support: - Nouse support: - Nouse support: - Anamin features: - - - Main features: - Mai	Default admin user / password:				
Mobile client access ports: 37777 RTSP URL: rtsp://admin.hasio@192.168.1.108.554/cam/realmonitor?channel=1&subtype=0 - Main stream Alarm inputs / outputs: - PTZ control: IP Speed Dome Cameras Motion Detection: 22 x 18 motion zones - after motion detection records detected channels only Intelligent Image Analysis: - Mouse support: - Mouse support: - Nouse support: - Anarn infectore - Mouse support: - Mouse support: - Mouse support: - Advanced peripheral protection functions: intrusion, crossing line with separate rules for vehicles and pedestrians, - classification of poople and vehicles,	Web browser access ports:	80, 37777			
rtsp://admin.hasio@192.168.1.108.554/cam/realmonitor?channel=1&subtype=0 Main stream rtsp://admin.hasio@192.168.1.108.554/cam/realmonitor?channel=1&subtype=1 - Sub streamAlarm inputs / outputs:-PTZ control:IP Speed Dome CamerasMotion Detection:22 x 18 motion zones - after motion detection records detected channels onlyIntelligent Image Analysis:-Mouse support:-Mouse support:-In remote controller in the set:Anarni negative controller in the set:Adarner controller in the set:Adarner controller in the set:Adarner controller in the set:	PC client access ports:	37777			
RTSP URL:Main stream risp/indmin-haslo@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 · Sub streamAlarn inputs / outputs:-PTZ control:IP Speed Dome CamerasMotion Detection:22 x 18 motion zones - after motion detection records detected channels onlyIntelligent Image Analysis:-Mouse support:-R remote controller in the set:-Anary State-Anary State-Anary State-Anary State-Anary State-Main features:-Anary State-Anary State-Anary State-Anary State-Anary State-Anary State-Main features:-Anary State-Anary State <td>Mobile client access ports:</td> <td colspan="4">37777</td>	Mobile client access ports:	37777			
PTZ control: IP Speed Dome Cameras Motion Detection: 22 x 18 motion zones - after motion detection records detected channels only Intelligent Image Analysis: ✓ Mouse support: ✓ IR remote controller in the set: ✓ Intelligent Image Analysis: ✓ Mouse support: ✓ IR remote controller in the set: ✓ IR remote controller in the set: ✓ Advanced peripheral protection functions: intrusion, crossing line with separate rules for vehicles and pedestrians, · classification of people and vehicles, · Face recognition and analysis in real time (up to 8 photos per second) : · Comparison of faces with images from the database · Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial bair, mask) · Real-time search of people on the basis of given side information in the range corresponding to features recognized by artificial intelligence of the device · Face bases can be used globally or locally for one video channel · depending on the meed · In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number · SMD PULS · searching for an object classified as: human, motor vehicle, non-motor vehicle Power supply: 12 V DC / 1.5 A (power adapter included) Weight: 0.47 kg Dimensions: 205 x 207 x 48 mm Supported languages: China Outry	RTSP URL:	Main stream rtsp://admin:hasło@192.168.1.108:554/cam/realmonitor?channel=1&subtype=1 - Sub			
Motion Detection: 22 x 18 motion zones - after motion detection records detected channels only Intelligent Image Analysis: ✓ Mouse support: ✓ IR remote controller in the set: – Ouse support: - Intelligent Image Analysis: – IR remote controller in the set: – Outs and pedestrians, - classification of people and vehicles, - Face recognition and analysis in real time (up to 8 photos per second) : - Comparison of faces with images from the database - Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask) - Real-time search of people on the basis of given side information in the range corresponding to features recognized by artificial intelligence of the device - Face bases can be used globally or locally for one video channel - depending on the need - In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number - (SMD PIUS - searching for an object classified as: human, motor vehicle, non-motor vehicle Power supply: 12 V DC / 1.5 A (power adapter included) Weight: 0.47 kg Dimensions: 205 x 207 x 48 mm Supported languages: China Anture / Brand: AHUA	Alarm inputs / outputs:	-			
Intelligent Image Analysis: ✓ Mouse support: ✓ IR remote controller in the set: ✓ IR section of people and vehicles, • Pace recognition and analysis in real time (up to 8 photos per second) : • · Comparison of faces with images how the database • · Face recognition and analysis in real time (up to 8 photos per second) : • · Comparison of faces with images how the database • · Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask) • · Real-time search of people on the basis of given side information in the range corresponding to features recognized by artificial intelligence of the device - Face bases can be used globally or locally for one video channel - depending on the need · In the base other than face photography, can also be stored such information as: name, sk, date of birth, nationality, address, ID number · SND PLUS - searching for an object classified as: human, motor vehicle, non-motor vehicle Power supply: 12 V DC / 1.5 A (power adapter included) Weight: 0.47 kg Dimensions: 205 x 207 x 48 mm Supported languages: China Country of origin: China Anutoture / Brand: DAHUA	PTZ control:	IP Speed Dome Cameras			
Mouse support: ✓ IR remote controller in the set: – IR remote controller in the set: – Is remote controller in the set: – Is observed to the set: - Is observed to the set: - Image: Set to the se	Motion Detection:	22 x 18 motion zones - after motion detection records detected channels only			
IR remote controller in the set: — IR remote controller in the set: - Advanced peripheral protection functions: intrusion, crossing line with separate rules for vehicles and pedestrians, classification of people and vehicles, Face recognition and analysis in real time (up to 8 photos per second): Comparison of faces with images from the database Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask) Real-time search of people on the basis of given side information in the range corresponding to features: Face bases can be used globally or locally for one video channel - depending on the need In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number SMD PLUS - searching for an object classified as: human, motor vehicle, non-motor vehicle Power supply: 12 V DC / 1.5 A (power adapter included) Weight: 0.47 kg Dimensions: 205 x 207 x 48 mm Supported languages: China China DAHUA 	Intelligent Image Analysis:	✓			
Advanced peripheral protection functions: intrusion, crossing line with separate rules for vehicles and pedestrians, · classification of people and vehicles, · Face recognition and analysis in real time (up to 8 photos per second) : · Comparison of faces with images from the database · Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask) · Real-time search of people on the basis of given side information in the range corresponding to features recognized by artificial intelligence of the device - Face bases can be used globally or locally for one video channel - depending on the need · In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number · SMD PLUS - searching for an object classified as: human, motor vehicle, non-motor vehicle Power supply: 12 V DC / 1.5 A (power adapter included) Weight: 0.47 kg Dimensions: 205 x 207 x 48 mm Supported languages: China Country of origin: China Manufacturer / Brand: DAHUA	Mouse support:	✓			
rules for vehicles and pedestrians, • classification of people and vehicles, • Face recognition and analysis in real time (up to 8 photos per second) : • Comparison of faces with images from the database 	IR remote controller in the set:	-			
Weight:0.47 kgDimensions:205 x 207 x 48 mmSupported languages:Polish, English, Bulgarian, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Slovenian, Serbian, Swedish, Hungarian, ItalianCountry of origin:ChinaManufacturer / Brand:DAHUA	Main features:	 rules for vehicles and pedestrians, classification of people and vehicles, Face recognition and analysis in real time (up to 8 photos per second): Comparison of faces with images from the database Face analysis: determination of sex, age and characteristic elements of appearance (glasses, facial hair, mask) Real-time search of people on the basis of given side information in the range corresponding to features recognized by artificial intelligence of the device Face bases can be used globally or locally for one video channel - depending on the need In the base other than face photography, can also be stored such information as: name, sex, date of birth, nationality, address, ID number 			
Dimensions: 205 x 207 x 48 mm Supported languages: Polish, English, Bulgarian, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Slovenian, Serbian, Swedish, Hungarian, Italian Country of origin: China Manufacturer / Brand: DAHUA	Power supply:	12 V DC / 1.5 A (power adapter included)			
Supported languages: Polish, English, Bulgarian, Czech, Danish, Finnish, French, Greek, Spanish, Dutch, German, Portuguese, Russian, Romanian, Slovenian, Serbian, Swedish, Hungarian, Italian Country of origin: China Manufacturer / Brand: DAHUA	Weight:	0.47 kg			
Supported languages: German, Portuguese, Russian, Romanian, Slovenian, Serbian, Swedish, Hungarian, Italian Country of origin: China Manufacturer / Brand: DAHUA	Dimensions:	205 x 207 x 48 mm			
Manufacturer / Brand: DAHUA	Supported languages:	German, Portuguese, Russian, Romanian, Slovenian, Serbian, Swedish, Hungarian,			
	Country of origin:	China			
Guarantee: 3 years	Manufacturer / Brand:	DAHUA			
	Guarantee:	3 years			

Front panel:







Rear panel:



Example captures of device interface:

(alhua		
Area (



DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl POL; 60-713 Poznań; Graniczna 10 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

2024-04-26

NVR2104-I





In the kit:



PACKAGE

