



User Manual

Code: IPC-K9DCP-3T0WE-V2

SOLAR IP CAMERA, OUTDOOR **IPC-K9DCP-3T0WE-V2** Wi-Fi CELL 3C ALL IN ONE - 3 Mpx 2.8 mm
IMOU

Warning!

Please read the user manual included in this work as it contains important information related with safety of installation and use of the device.

Only persons who read the user manual may use the device.

The user manual must be kept because it may be required in the future. The device is to be used exclusively for purposes specified in this user manual.

The device must be unpacked prior to starting-up. After removing the packaging make sure the device is in working order. If the product has defects, it should not be used until it is repaired.

The product is intended for use at home and commercial use and may not be used for other than intended use.

The manufacturer is not liable for damages resulting from not adhering to the rules contained in the user manual, therefore, we recommend to follow the aforementioned safety rules for operation and maintenance of the device. In this way you will ensure yourself safety and avoid causing damage to the device.

The manufacturer and the supplier are not liable for losses or damages arising out of the product, including financial or intangible losses, loss of profits, income, data, pleasure from use of the product or other products related with it - indirect, incidental or consequential loss or damage. The above provisions apply whether the loss or damage concerns:

1. Deterioration of quality or the lack of operation of the products or products related with it due to damage as well as the lack of access to the product when it is undergoing repair, which results in stoppage the loss of user's time or a break in business activity;
2. Improper results of operation of the product or products related with it;
3. It applies to losses and damages according to any legal category, including negligence and other losses, termination of a contract, expressed or implied guarantee and strict liability (even if the manufacturer or the supplier was notified about the possibility of occurrence of such damages).

Safety measures:

Particular attention at designing was directed to quality standards of the device where ensuring safety of operation is the most important factor.

The device must be secured against contact with caustic, staining and viscous fluids.

The device was designed in such a way that it restarts operation when power supply is restored after a break.

Attention! We recommend using protections to further protect the device from possible overvoltages in installations. Surge protectors are effective protection against accidental pass to the device voltages higher than the rated. Damages caused by pass the voltages higher than specified in manual, are not under warranty.

Turn off the device before transporting it.

Prior to connecting the device to a power source check whether the supplied voltage is consistent with rated voltage specified in the user manual.

Proper product disposal:

A marking of a crossed out waste bin indicates that the product may not be disposed together with other household waste in the entire EU. To avoid possible damage to the natural environment of health due to uncontrolled waste disposal, therefore, it should be handed over for recycling, propagating in this way sustainable use of natural resources.

To return a worn-out product, use a collection and disposal system of this type of equipment or contact a seller from whom it was purchased. He will then be recycled in an environmentally-friendly way.

IP camera with efficient H.265 / H.264 image compression algorithm for clear and smooth video streaming at maximal resolution of 2304 x 1296 (3 Mpx). The included solar panel with a built-in battery allows the camera to work in places where there is a problem with the power supply. The built-in PIR detector allows the camera to automatically switch from the standby mode to the active state.

The cameras of the IMOU series have been designed with special care to simplify the configuration and operation. In combination with the user friendly IMOU platform, the IMOU series devices allow anyone to create a simple and effective surveillance system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The used Wi-Fi module allows to remote communication with camera for max. distance up to 50 m.

In order to obtain optimal performance of IMOU series cameras, it is recommended to use DAHUA Micro SD memory cards.

Attention! The IMOU series devices do not have a WEB interface.



Standard:	IP
Resolution:	2304 x 1296 - 3 Mpx
Sensor:	1/2.8 " Progressive Scan CMOS
Lens:	2.8 mm
View angle:	98 °





User Manual

Code: IPC-K9DCP-3T0WE-V2

SOLAR IP CAMERA, OUTDOOR **IPC-K9DCP-3T0WE-V2** Wi-Fi CELL 3C ALL IN ONE - 3 Mpx 2.8 mm IMOU

Range of IR illumination:	15 m
White light LED illuminator range:	15 m
Audio:	<ul style="list-style-type: none">• Microphone built-in,• Speaker built-in,• Bi-directional audio streaming support,• Noise and echo reduction• Alarm siren : 110 dB
Image compression method:	H.265 / H.264
Main stream frame rate:	15 fps @ 3 Mpx
Network interface:	Wi-Fi - IEEE 802.11 b/g/n - 2.4 GHz
WEB Server:	—
Mobile phones support:	Access by a cloud (P2P) <ul style="list-style-type: none">• Android: IMOU free application• iOS (iPhone): IMOU free application
Default admin user / password:	admin / - The administrator password should be set at the first start
Default IP address:	DHCP
Web browser access ports:	—
PC client access ports:	—
Mobile client access ports:	—
RTSP URL:	—
Memory card slot:	Micro SD card support up to 256GB
Main features:	<ul style="list-style-type: none">• Smart Color Night Vision: support for 4 night modes provides the camera with excellent visibility even in complete darkness• D-ZOOM - Digital Zoom : 8x• White light (LED) illuminator built-in• Full Color - colorful night mode• Active deterrence function - Active intrusion deterrence works by blinking white light and siren sound,• Light and sound alarm• Recording schedule• Customizable detection zone• Built-in PIR detector• Motion Detection• Human detection• Events saving to the micro SD card• Time-lapse recording• Operation modes : 5• Privacy Mode• IMOU Cloud• RESET button• ON/OFF button• Low battery level alarm• Compatible with Amazon Alexa
"Index of Protection":	IP66
Estimated battery operation time:	≤ 120 days (in economical mode) - 20 events @ 8 s for recording / 1 day
Battery charging:	500 ... 600 mAh @ 2 h (direct sunlight)

Power supply:	<ul style="list-style-type: none">• 5 V DC / 2 A - from USB-C port,• Solar Panel : 2.2 W - built-in battery 5000 mAh
Power consumption:	≤ 3.5 W
Operation temp:	-20 °C ... 50 °C
Weight:	0.36 kg
Dimensions:	168 x 97 x 70 mm (camera)
Supported languages:	—
Manufacturer / Brand:	DAHUA / IMOU
Guarantee:	2 years









In the kit



PACKAGE



User Manual

Code: IPC-K9DCP-3T0WE-V2

SOLAR IP CAMERA, OUTDOOR **IPC-K9DCP-3T0WE-V2** Wi-Fi CELL 3C ALL IN ONE - 3 Mpx 2.8 mm
IMOU

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------