

Code: HY-SA300A-5T

SMOKE DETECTOR **HY-SA300A-5T** DAHUA

Net: **145.00 PLN** Gross: **145.00 PLN**

The HY-SA300A-5T is a high quality device indicated for monitoring of visible smoke presence in accommodations and early detection of fire.

The smoke detector is designed for most buildings, however, is not suitable for the exterior of the building or very high premises because of the possibility of not taking the detection the existing risk of fire.

The built-in communication bus enables the connection of up to 16 HY-SA300A-5T detectors in different rooms. Thanks to this, the audible alarm is triggered in all connected detectors, while the light signaling is activated only in devices that have detected smoke. Such a solution significantly facilitates the location and identification of the source of smoke and taking appropriate actions.

Attention! The device is designed for autonomous operation, it does not have the ability to work with alarm systems.



SPECIFICATION

Detection:	smoke
Alarm signaling:	<ul style="list-style-type: none">• LED indicator• Acoustic (buzzer)
Smoke chamber dirt build-up indication:	✓
Battery power supply:	1 x Battery type CR123A 3 V (included)
Main features:	<ul style="list-style-type: none">• Battery lifetime : 5 years• Sound signaling 85 dB / 3 m• Test button - with Mute function• Low battery level alarm• Possibility to connect up to 16 HY-SA300A-5T detectors using the communication bus
Operation temp:	0 °C ... 45 °C
Weight:	0.11 kg
Dimensions:	Ø 102 x 36 mm
Manufacturer / Brand:	DAHUA
Guarantee:	5 years

PRESENTATION

Front view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Mounting side view:




View after removing the back panel:



Place for batteries 1 x 3V CR123A:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

