


Code: MCX2-BRD

I/O EXPANDER **MCX2-BRD** ROGER

Net: **53.52 EUR** Gross: **65.83 EUR**

The MCX2-BRD is an I/O expander designed to work in the RACS 5 access control system. The device provides 2 parametric input lines and 2 relay outputs. Each of the inputs can be individually parametrized in terms of reaction time and topology of applied contacts and resistors.




SPECIFICATION


Inputs:	2 x NO/NC/EOL/2EOL/3EOL
Relay output:	2 x 1.5 A / 30 V
Power supply:	12 V DC
Main features:	<ul style="list-style-type: none">• Ability to work inputs in Double Wiring mode• Inputs reaction time defined in the range of 50 ... 5000 ms• Configuration of output default state of polarization• Configuration through RS-485 (RogerVDM)
Weight:	0.05 kg
Dimensions:	80 x 54 x 20 mm (without stand)
Manufacturer / Brand:	ROGER
Guarantee:	3 years

PRESENTATION


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Top view:



Connectors:





In the kit:

